REFERENCES:

- Ashish Garg and Efrosini Kokkoli (2011) pH-Sensitive PEGylated Liposomes Functionalized With a Fibronectin-Mimetic Peptide Show Enhanced Intracellular Delivery to Colon Cancer Cells Current Pharmaceutical Biotechnology, 12, 1135-1143.
- Bambeke, F.V., Kerkhofs, A., Schanck, A., Remacle, (2000) C. Biophysical studies and intracellular destabilization of pH-sensitive liposomes. Lipids.;35(2): 213-223
- Bangham, A. D., Standish, M. M. and Watkins, J.C. (1990); Diffusion of univalent ions across the lamellae of swollen phospholipids. J. Mol. Biol., 13: 238-252.
- Cho, S.M., Lee, H.Y., Kim, J. (2008), pH dependent release property of dioleylphosphatidyl ethanolamine liposomes. Korean J. Chem., 25; 390-393.
- Cortesi R, Esposito E, Gambarin S, Telloli P, Menegatti E, Nastruzzi C. (1999); Preparation of liposomes by reverse-phase evaporation using alternative organic solvent. J. Microencap., 16: 251-256.
- Chu, C.J., Dijkstra, J., Lai, M.Z., Hong, K., Szoka, F.C. (1990), Efficiency of cytoplasmic delivery by pH-sensitive liposomes to cells in culture, Pharm. Res. ; 7: 824–834.
- Collins, D. P.F. Tosi, C. Nicolau, M.A. Gimbrone Jr., (1995), pH-sensitive liposomes as tools for cytoplasmic delivery, in: J.R. Philippot, F. Schuber (Eds.), Liposomes as Tools in Basic Research and Industry, CRS Press, Boca Raton, pp. 201– 214.
- D.D. Spragg, D.R. Alford, R. Greferath, C.E. Larsen, K.D. Lee, G.C. Gurtner, M.I. Cybulsky, (1997) Immunotargeting of liposomes to activated vascular endothelial cells: a strategy for site-selective delivery in the cardiovascular system, Proc. Natl. Acad. Sci. USA 94 (1997) 8795–8800.
- E. Roux, M. Francis, F.M. Winnik, J.C. Leroux, (2002) Polymer based pH-sensitive carriers as a means to improve the cytoplasmic delivery of drugs, Int. J. Pharm. 242 25–36.
- E. Roux, M. Lafleur, E. Lataste, P. Moreau, J.C. Leroux, (2003) On the characterization of pH-sensitive liposome/polymer complexes, Biomacromolecules Vol. 4 p.p. 240– 248.

- E. Roux, R. Stomp, S. Giasson, M. Pezolet, P. Moreau, J.C. Leroux, (2002) Steric stabilization of liposomes by pH-responsive N-isopropylacrylamide copolymer, J. Pharm. Sci. 91 1795– 1802.
- Garnier-Suillerot, E.C. Pereira-Maia and M.C. De Oliveira (2007) Preparation and cytotoxicity of cisplatin-containing liposomes Preparation and cytotoxicity of cisplatin-containing liposomes Brazilian Journal of Medical and Biological Research 40: 1149-1157.
- Gertrude-E. Costin,a Mihaela Trif,a Norica Nichita,a Raymond A. Dwek,b and Stefana M. Petrescua, (2002) pH-sensitive liposomes are efficient carriers for endoplasmic reticulum-targeted drugs in mouse melanoma cells Biochemical and Biophysical Research Communications 293; 918–923.
- G. Pantaleo, C. Graziosi, J.F. Demarest, L. Butini, M. Montroni, C.H. Fox, J.M. Orenstein, D.P. Kotler, A.S. Fauci, (1993) HIV infection is active and progressive in lymphoid tissue during the clinically latent stage of disease, Nature 362 ; 355–358.
- In-Young Kim, Young-Sook Kang, Doo Sung Lee, Heon-Joo Park, Eun-Kyung Choi, Yu-Kyoung Oh, Hye-Jung Son, Jin-Seok Kim (2009) Antitumor activity of EGFR targeted pH-sensitive immunoliposomes encapsulating
- gemcitabine in A549 xenograft nude mice Journal of Controlled Release 140 (2009) 55–60
- J.A. Reddy, P.S. Low, (2000) Enhanced folate receptor mediated gene therapy using a novel pH-sensitive lipid formulation, J. Control. Release 64 27– 37.
- J.S. Chang, M.J. Choi, T.Y. Kim, S.Y. Cho, H.S. Cheong, (1999) Immunogenicity of synthetic HIV-1 V3 loop peptides by MPL adjuvanted pH-sensitive liposomes, Vaccine 17 1540– 1548.
- J.S. Chang, M.J. Choi, H.S. Cheong, K. Kim (2001), Development of Th1-mediated CD8+ effector T cells by vaccination with epitope peptides encapsulated in pH-sensitive liposomes, Vaccine 19 3608– 3614.
- K. K. Upadhyay et al. (2010) In vitro and In vivo Evaluation of Docetaxel Loaded Biodegradable PolymersomesMacromolecular Biosciences 10, 503–512.

- K. Tschaikowsky, (1994) Protein kinase C inhibitors suppress LPS induced TNF production in alveolar macrophages and in whole blood: the role of encapsulation into liposomes, Biochim. Biophys. Acta 1222 113–121.
- Lasic, D.D., (1998), Novel applications of liposomes, Trends Biotechnol.; 16: 307–321.
- Lubrich, D. van Calker, R. Peschka-Suss, (2000) Inhibition of inositol uptake in astrocytes by antisense oligonucleotides delivered by pH-sensitive liposomes, Eur. J. Biochem. 267 2432– 2438.
- Martin, F.J., (1990); Pharmaceutical Manufacturing of Liposomes, in "Specialized Drug Delivery Systems", ed. Tyle P, Marcel Dekker Inc., New York, (a) 272 (b) 271.
- M.C. de Oliveira, V. Rosilio, P. Lesieur, C. Bourgaux, P. Couvreur, M. Ollivon, C. Dubernet, 2000) pH-sensitive liposomes as a carrier for oligonucleotides: a physico-chemical study of the interaction between DOPE and a 15-mer oligonucleotides in excess water, Biophys. Chem. 87 (127– 137).
- M.C. de Oliveira, E. Fattal, P. Couvreur, P. Lesieur, C. Bourgaux, M. Ollivon, C. Dubernet, (1998) pH-sensitive liposomes as a carrier for oligonucleotides: a physico-chemical study of the interaction between DOPE and a 15-mer oligonucleotide in quasi-anhydrous samples, Biochim. Biophys. Acta 1372 301– 310.
- N. Skalko-Basnet, M. Tohda, H. Watanabe, (2002) Uptake of liposomally entrapped fluorescent antisense oligonucleotides in NG108-15 cells: conventional versus pH-sensitive, Biol. Pharm. Bull. 25 1583– 1587.
- Nir, S., Nicol, F., Szoka Jr F.C. (1999), Surface aggregation and membrane penetration by peptides: relation to pore formation and fusion, Mol. Membr. Biol.; 16:95– 101.
- Parente, R.A., Nadasdi, L., N.K. Subbarao, F.C. Szoka Jr., (1990), Association of a pH-sensitive peptide with membrane vesicles: role of amino acid sequence, Biochemistry; 29: 8713–8719.
- P. Lutwyche, C. Cordeiro, D.J. Wiseman, M. St-Louis, M. Uh, M.J. Hope, M.S. Webb, B.B. Finlay (1998), Intracellular delivery and antibacterial activity of gentamicin encapsulated in pH-sensitive liposomes, Antimicrob. Agents Chemother. 42 2511 – 2520.
- Ropert, C., Malvy, C., Couvreur, P. (1995), pH sensitive liposomes as efficient carriers for intracellular delivery of oligonucleotides, in: G. Gregoriadis (Ed.), Strategies for

Oligonucleotide and Gene Delivery in Therapy, vol. 290, Plenum Press, New York, pp. 151– 162.

- Ropert, C., Malvy, C., Couvreur, P. (1995) pH sensitive liposomes as efficient carriers for intracellular delivery of oligonucleotides, in: G. Gregoriadis (Ed.), Strategies for Oligonucleotide and Gene Delivery in Therapy, vol. 290, Plenum Press, New York, pp. 151– 162.
- Sergio Simoes' Joao Nuno Moreira, Cristina Fonseca, Nejat Duzgues, Maria C. Pedroso de Lima (2004) On the formulation of pH-sensitive liposomes with long circulation times Advanced Drug Delivery Reviews 56; 947– 965.
- Siddhesh D. Patil,David G. Rhodes,and Diane J. Burgess (2004) Anionic Liposomal Delivery System for DNA Transfection The AAPS Journal 6 (4) Article 29 (http://www.aapsj.org).
- Simoes, S., Moreira J.N., Fonseca, C., Lima, M. (2004); On the formulation of pH-sensitive liposome with long circulation times, 56: 947-965.
- Smita Rane, Bala Prabhakar Influence of liposome composition on Paclitaxel entrapment and pH sensitivity of liposomes (2009) International Journal of PharmTech Research Vol.1, No.3, pp 914-917.
- Sonar, S., D'souza, S.E., Mishra, K.P. A novel doxorubicin-encapsulated pH-sensitive liposome for targeted cancer therapy, BARC newletter (founder's day special issue), 158-159 [online cited 2010 Apr. 23] Available from: URL: http://www.barc.gov.in
- Straubinger, R.M., Duzgunes, N., Papahadjopoulos, D. (1992), pH-sensitive liposomes mediate cytoplasmic delivery of encapsulated macromolecules, FEBS Lett.; 179: 148–154.
- Tatsuhiro Ishida, Yurie Okada, Tomotaka Kobayashi, Hiroshi Kiwada (2006) Development of pH-sensitive liposomes that efficiently retain encapsulated doxorubicin (DXR) in blood International Journal of Pharmaceutics 309 (2006) 94–100.
- Taylor and Francis (1999), Encapsulation and stability of clofazimine liposomes. Journal of microencapsulation Vol. 16 No.3; 264-272.
- Turk, M.J., Reddy, J.A., Chmielewski, J.A., Low,P.S. (2002) Characterization of a novel pH-sensitive peptide that enhances drug release from folate-targeted liposomes at endosomal pHs, Biochim. Biophys. Acta; 1559: 56–68.

- Yoshimura, T., Shono, M., Imai, K., Hong, K. (1995) Kinetic analysis of endocytosis and intracellular fate of liposomes in single macrophages, J. Biochem.; 117: 34– 41.
- Zhihong Liu, Donghua Liu, Lili Wang, Juan Zhang and Na Zhang (2011) Docetaxel-Loaded Pluronic P123 Polymeric Micelles: *in Vitro* and *in Vivo* Evaluation International Journal of Molecular Sciences 12, 1684-1696.